

Product Name:

Product Code:

Other Names:

Company:

Address:

Recommended Use:

Emergency Telephone: Telephone/Fax number:

PO Box 16017 Hornby Christchurch 8441 Phone: 03 344 0260 Fax: 03 349 8732 info@agrippapaints.co.nz www.agrippapaints.co.nz

## **Safety Data Sheet** TIMBERMAX ACRYLIC LOW SHEEN

### 1. Identification of Material and Supplier

TimberMax Acrylic Low Sheen TΧ Water Based Acrylic Low Sheen Paint

Acrylic Paint for brush, roller, speed pad or spray application to Exterior and Interior surfaces

Agrippa Paints Ltd PO Box 16017, Hornby, Christchurch 8042 (03) 344 0260 ask for Technical Manager Tel: (03) 344 0260 Fax: (03) 349 8732 0800 POISON (0800 764 766)

### 2. Hazards Identification

Hazard Classification: 9.1D Hazard Pictograms Not applicable Signal Word Not applicable Hazard Statements H402 Precautionary statement(s) Prevention P273 Precautionary statement(s) Response Not applicable Precautionary statement(s) Storage Not applicable

Precautionary statement(s) Disposal

New Zealand National Poison Centre:

P501

Acute Aquatic Hazard Category 3 Harmful to aquatic life. Avoid release to the environment.

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

	3. Composition/informa	tion of Ingredients	
Ingredients:	CAS Reg No:	Approx Proportion	WES (TLV)
Polymers	Non Hazardous	Med (10-60%)	None Established
APEO	127087-87-0	Trace (0-1%)	None Established
Ammonium Hydroxide	1336-21-6	Trace (0-1%)	25ppm
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	25265-77-4	Low (1-10%)	None Established
Diuron	330-54-1	Trace (0-1%)	None Established
Carbendazim	10605-21-7	Trace (0-1%)	None Established
Isothiazolones	Mixture	Trace (0-1%)	0.05mg/M <sup>3</sup>
Water	7732-18-5	Med (10-60%)	None Established
Inorganic Pigments*	Mixture	Low (1-10%)	10mg/M <sup>3</sup>
*(Metal Oxides vary with colour)			
Ingredients determined not to be hazardous		Balance	
Inhalation: Ingestion:	If fumes, aerosols or combustion products are inhaled remove from contaminated area. Do not induce vomiting. Give 1-2 glasses of water and if you are concerned seek medical attention.		
Skin:	Give 1-2 glasses of water and if you are concerned seek medical attention. Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available).		
	Seek medical attention	in event of irritation.	
Eye:	Flush eye thoroughly with copious amounts of water for at least 5 minutes.		
	Seek medical attention	if irritation persists.	
	Removal of contact len	ses after an eye injury should	only be undertaken by skilled personnel
Advise to doctor:	Treat symptomatically.		
	Health Ef	fects	
Inhalation:	Irritating to mucous membranes and respiratory system		
Ingestion:	Can be harmful if swallowed		
Skin:	Mildly irritating to skin upon repeated or prolonged contact		
Eye:	Irritating to eyes		
	الاستلاب المستعم وبالمشار التربي المستعد المستعد الا	la ta mana ali ya A	

Long Term Hazard:

None anticipated with this product

## Safety Data Sheet TIMBERMAX ACRYLIC LOW SHEEN

5. Fire Fighting Measures			
Extinguishing media:	Not Flammable. Foam dry chemical, carbon dioxide. Water may be ineffective.		
Specific Hazards:	Not Flammable		
Special Fire fighting Procedures:	Not Flammable		
Special protective equipment:	Wear full protective clothing and self contained breathing apparatus. Use equipment/media appropriate to surrounding fire conditions.		
Decomposition Products:	None		
Flammable limits:	In air (%vol) LEL: N/A_UEL: N/A		
Hazchem code:	NA		
	6. Accidental Release Measure		
Emergency Procedures:	Absorb with sand or earth. Shovel up and place in a labelled, sealable container for subsequer		
	disposal. Flush the contaminated area with plenty of water. Dyke spill and transfer to a salvage		
	tank if possible. Absorb remainder with sand or earth and shovel to sealable containers for		
	disposal. Could contaminate waterways. Contaminated absorbent to be deposited in a secure		
	landfill in accordance with Local Government regulations.		
	7. Handling and Storage		
Store Temperatue:	Maximum 40°C - Minimum 1°C		
Container Type and Material:	Test Pots, 1L, 4L, 10L plastic containers		
	8. Exposure Controls/Personal Protection		
National Exposure standards:	N/A		
Biological Limit Values:	No biological limit values available for this product.		
Engineering Controls:	Not ordinarily required other than following normal "good use practices" for when using paint related products.		
Respiratory Protection:	A mask is recommended if applying with a sprayer.		
Eye Protection:	Safety googles or splash mask.		
Hand Protection:	Butyl or Nitrile rubber gloves.		
Body Protection:	Overalls.		
	9. Physical and Chemical Properties		
Appearance:	Liquid		
Colour:	As per colour label		
Odour:	Slight ammoniacal		
Melting Point:	N/Ă		
Boiling Point:	100°C approximately		
Solubility in Water (g/l):	Insoluble but dispersible		
pH (as supplied):	9.0 approximately		
Fleeh Deint	NA		

## 10.Stability and Reactivity

Not Flammable (dry film will burn)

Chemical Stability: Conditions to Avoid: Incompatible Materials: Hazardous Decomposition Products: Hazardous Polymerization:

Flash Point:

Flammability

Stable Waterways contamination Not known None Will not occur

N/A

# Safety Data Sheet

TIMBERMAX ACRYLIC LOW SHEEN

	TIMBERMAA ACRILIC LOW SHEEN	
Acute Toxicology:	11. Toxicological Data	
Inhalation -	No significant signs or symptoms indicative of any health hazard are expected to occur as a result of inhalation exposure.	
Ingestion -	No significant signs or symptoms indicative of any health hazard are expected to occur as a result of small ingestion.	
Skin -	No significant signs or symptoms indicative of any adverse health hazard are expected to occur as a result of skin exposure.	
Eye -	Not known. May irritate the eyes.	
Chronic Effects -	Not known.	
Genetic Toxicology:	N/A	
Reproductive Toxicology:	N/A	
	12. Ecological Information	
Ecotoxicity:	Avoid discharge into waterways.	
Persistence and degradability:	No information available for this product.	
Mobility:	No information available for this product.	
Environmental Fate:	Avoid contaminating waterways.	
Bioaccumulative Potential:	No information available for this product.	
	13. Disposal Considerations	
Waste Disposal:	Follow Local Government regulations for disposal of the waste. Avoid discharge into	
	stormwater drains, sewers and waterways, contact the Local authorities if this occurs.	
	14. Transport Information	
Transport information New Zealand:	No special precaution necessary other than to ensure good packaging practices are followed to ensure if damaged does occur, no contamination of other products occur.	
UN Number:	NA	
Proper Shipping Name:	NA	
DG Class:	NA	
Hazchem Code:	NA	
Packing Group:	NA	
	15. Regulatory Information	
Hazard Classifications New Zealand:	No HSNO Classification applies	
Toxic Substance Schedule:	NA	
	16. Other Information	
Revision Date:	SDS Reviewed May 2022	
Legend to abbreviations and Acronyms:	NA = Not Applicable	
	C = Celcuis	
Literature References:	No data available	
Sources for Data:	No data available	

Disclaimer

"This technical information is given in good faith, based on our experience and tests. However, subject to any implied terms, conditions, or warranties imposed by the Consumer Guarantees Act 1993 the recommendations and suggestions herein are made without guarantee, as application conditions are out of our control. Adequate tests should be made to ensure product or recommendations suitability".

"There shall be no right of redress against the manufacturer under the Consumer Guarantees Act 1993 in respect of goods which fail to comply with any express guarantees made by the manufacturer in relation to the information contained herein where the goods have failed for reasons beyond the control of the manufacturer".

"Nothing in the Consumer Guarantees Act 1993 relating to any express guarantees made by the manufacturer in relation to the information contained herein shall apply where the purchaser of the goods will use those goods for business purpose or any other purpose which is not a domestic purpose".